

 **Technotape**
Taking Pictures to Print.

Minilab Supplies



Technotape

Taking Pictures to Print.

Each and every day Technotape's products are being used by satisfied photofinishers the world over. From Iceland to New Zealand and from Alaska to Cape Horn.

This remarkable success is the result of many committed Technotape employees, suppliers and distributors, who together carefully manage a number of important processes including:

- Ingenious product design
- Skilled manufacturing
- Dedicated customer services
- Accurate logistics

This catalogue presents Technotape's comprehensive range of minilab supplies in four main categories:

- Digital Products and services for meeting the growing needs of the digital consumer.
- Generic Indispensable items for all makes of minilabs.
- Machine Related Products specially made for the major minilab brands on the market today.
- Miscellaneous Useful accessories for the day-to-day running of a photo shop.

Altogether, products for Taking Pictures to Print.

International

Technotape International B.V.
P.O. Box 458
3740 AL Baarn
The Netherlands
Tel: +31 (0)35 541 80 94
Fax: +31 (0)35 541 18 17
E-mail: office@nl.technotape.com

France

Technotape France SARL
198, avenue de Verdun
92130 Issy-Les-Moulineaux
France
Tel: +33 (0)1 46 42 90 76
Fax: +33 (0)1 46 42 58 44
E-mail: office@fr.technotape.com

Your local distributor:

Scandinavia

Technotape Nordic AB
Box 230
SE-746 25 Bålsta
Sweden
Tel: +46 (0)171 511 25
Fax: +46 (0)171 513 20
E-mail: office@se.technotape.com

Americas

Technotape USA Inc.
959 Columbia Street
Crete, IL 60417
USA
Tel: +1 (708) 709-9000
Fax: +1 (708) 709-9040
E-mail: office@usa.technotape.com

www.technotape.com

CONTENTS

Digital

Digital Systems and Software 2

Digital Storage Media and Accessories 3, 4

Generic

Film Extractors 5

APS Products 5, 6

Film Check Labels 7

Film Splice Tapes 7

Dispensers 7, 8

Dust and Static Control 8, 9

Gloves and Fingertips 9

Sleevers 10

Roll Sleeving 11

Machine Related

Agfa / Copal 12, 13

Fuji 14, 15

Gretag 16, 17, 18

Kis 19

Kodak 20

Konica 21

Noritsu 22, 23, 24

Inking Ribbon Types 25

Lamp Types 25

Miscellaneous

Chemistry Handling Tools 26

Cleaning Liquids 27

Test Negatives 28

Processing Aids 28, 29

Professional Film Sleeving 29

Archiving 29

Protective Products 30

Anti-Static Film Cleaners 31

Film Handling Systems 31

Changing Bags and Tent 32

Equipment and Tools 32, 33

Customer Statements 34

Retouch 34

Special Tapes 34

DIGITAL SYSTEMS AND SOFTWARE



Load, start, and walk away, these are the main instructions for operating the **DPI Photo Scanner**. This affordable solution adds digital production options to your minilab. This photo scanner quickly and easily converts (old or new) prints to a digital format. Scans up to 72 colour prints in one go, including panoramic size. Captured images can be processed in many ways, consumer gets the result well within the normal 1-hour service. Replacement **Calibration Cleaning Sheets** are also available.

product code	description
DSD.PSC.5X7.072	DPI Photo Scanner
DSM.PSC.CSH.100	calibration cleaning sheets - 100 pieces



The high-speed **Sony Film Scanner** (type UY-S100) will quickly turn 135 film, 135 slides or APS film (with optional APS Film Carrier) into a digital image database on a PC's hard disk. Handles both short strips and complete rolls. This production scanner automatically adjusts colour and density for individual frames and may be operated unattended. The maximum resolution of 2212 dpi for 135 scans or 3326 dpi for APS scans ensures high quality results.

product code	description
DSD.FSC.UYS.100	Sony Film Scanner
DSD.FSA.PW1.NSS	Sony Film Carrier APS
DSD.FSA.S90.ASF	Sony Automatic Slide Feeder
DSD.UYS.MPS.L60	halogen lamp 24V 60W



The **Sony Dye Sub Rollprinter** (type UP-DR100) offers high-speed large volume printing using roll-fed media. Using the dye sublimation technology for ultimate quality and image stability, the UP-DR100 produces borderless photo quality prints in sizes: 5 x 7" (13 x 18 cm), 4 x 6" (10 x 15 cm), 3 1/2 x 5" (9 x 13 cm) and 6 x 8" (15 x 20 cm).

Together with easy maintenance and convenient front-loading operation, this printer is the ideal choice for a wide range of digital photo printing services.

product code	description
DPE.DSP.UPD.ROL	Sony Dye Sub Rollprinter
DPM.089.127.ROL	roll for 400 prints, 89 x 127 mm
DPM.102.152.ROL	roll for 350 prints, 102 x 152 mm
DPM.127.178.ROL	roll for 205 prints, 127 x 178 mm
DPM.152.204.ROL	roll for 185 prints, 152 x 204 mm



The **DPI Intake Station** is an all-in-one solution featuring an easy to use TFT touchscreen control panel and a wide range of input options: CF, SM, MMC, Memory Stick, SD and CD. Optional is XD, DVD, Bluetooth and Infrared. Choose the software configuration best for you. The basic Photo Ordering program, with or without CD-burning (incl. viewer), sends orders directly to a digital minilab for printing.

The Intake Station can even be installed remotely by adding Internet capability with Internet Print Service software (IPS).

product code	description
DOE.KBH.STA.001	DPI Intake Station
DOS.PA3.IPS.ORM	IPS + Order Manager PA3
DOS.PA3.POS.CDB	Photo Ordering + CD Burn PA3
DOS.PA3.STE.POS	Photo Ordering PA3



Internet Print Service

Professional transmission software that allows you to receive your customers' digital images via the Internet. The customer chooses the desired format, finish and quantity and is also able to carry out basic image editing before uploading the files from the comfort of home to a dedicated Internet domain. IPS confirms the order and you are automatically notified when a job is on the way. You can choose to have the job automatically downloaded to your workstation for printing. IPS is also compatible with the DPI Intake Station.

product code	description
DOS.PA3.IPS.ORM	IPS + Order Manager PA3



Event Photography Solution

Software solution for instant public display and printing of digital images directly from the recording media (memory cards etc.). Designed for the busy event photographer. Ideal for applications such as souvenir photography in theme parks. Also available as a complete package including camera, Sony Dye Sub Rollprinter and all interfaces/cables etc.

product code	description
DOS.DPI.EVT.001	Event Photography Software

DIGITAL STORAGE MEDIA AND ACCESSORIES

**Customised CD-Rs**

We offer professional imprinting at an economical price. Any design is possible (up to 6 colours). A great way to personalise your CDs and create more publicity at the same time. Not to be confused with inkjet or thermal printing.



The **DPI Photo CD** is a multi-session photo CD-R with pre-burned photo editing software in an attractive packaging. A ready-to-go solution for offering photo CD-Rs. Your customers can edit and share their favourite moments by e-mail or via the Internet with the minimum of effort.



Specially selected by Technotape, a wide range of high quality **Bulk CD-Rs** (700 MB / writing speed up to 52x) packed on spindles of 100.



Either DVD-R or DVD+R, we can supply all types of **Recordable DVDs** from shiny silver to printable versions.

To save time and worry on the quality and recording of CD-Rs, we provide an efficient **Duplication Service**. We create a multi-session CD which can include comprehensive autostart viewer software. The burning session is left open so that the consumer's images are easily added at a later stage. This 'pre-burning' increases productivity in the labs compared to using blank CD-Rs.

Glass Mastering stems directly from the music industry and is a more economic method of mass duplication where no 'after-burning' is required. The original CD is copied onto a glass master from which high quantities of duplicates can be produced at high speed. Technotape's glass mastering service is ideal when high volumes of the same CD are needed.

product code	description
DSM.CDR.XXX.XXX	CD-R printed

product code	description
DSM.CDR.PR.B.DPI	DPI Photo CD with viewer

product code	description
DSM.CDR.AQ1.BLA	CD-R silver AQ blank
DSM.CDR.T80.SIP	CD-R silver inkjet printable
DSM.CDR.T80.SIR	CD-R silver inkjet & retransfer printable
DSM.CDR.T80.WIP	CD-R white inkjet printable
DSM.CDR.T80.WIR	CD-R white inkjet & retransfer printable
DSM.CDR.T80.WTP	CD-R white thermal printable

product code	description
DSM.DVD.MR1.BLA	DVD-R silver 4.7GB, blank
DSM.DVD.MR1.SIR	DVD-R silver 4.7GB, inkjet & retransfer printable
DSM.DVD.MR1.WIR	DVD-R white 4.7GB, inkjet & retransfer printable
DSM.DVD.PR2.BLA	DVD+R silver 4.7GB, blank
DSM.DVD.PR2.SIR	DVD+R silver 4.7GB, inkjet & retransfer printable
DSM.DVD.PR2.WIR	DVD+R white 4.7GB, inkjet & retransfer printable

product code	description
DSM.CDR.PR.B.XXX	CD-R pre-burned
DSM.CRO.XXX.XXX	CD-Rom glass mastered

DIGITAL STORAGE MEDIA AND ACCESSORIES

**CD-Packaging Plastic**

Plastic CD envelopes and hard cover jewel and slim cases.

product code

DSM.CDR.VHP.FLA
DSM.CDR.VHP.WFL
DSM.CDR.VJC.SCB
DSM.CDR.VJC.SCC
DSM.CDR.VJC.TRA

description

CD plastic sleeve with flap
CD plastic sleeve without flap
CD slim case black
CD slim case clear
CD jewel case with black tray

**CD-Packaging Paper**

CD paper envelopes and neutral carton wallets.

product code

DSM.CDR.VHP.CWL
DSM.CDR.VHP.PSL

description

CD carton wallet - white
CD paper sleeve - white




Hard Cover DVD Packaging library boxes and super jewel boxes.

product code

DSM.CDR.VJC.SJB
DSM.DVD.BLS.001

description

super jewel box king size - crystal clear
DVD library box single - black



Anti-Static Cloth 25 x 25 cm for cleaning CDs.

product code

DSM.CDR.CLN.CLT

description

CD cleaning cloth red 25 x 25 cm



Non toxic **CD Markers** with permanent ink for writing on CDs. Package of four different colours; red, blue, green and black.

product code

DSM.CDR.MAR.4CL

description

CD marker 4 colours per pack

FILM EXTRACTORS



The **Manual Film Picker** is an economic manual tool that does not require any tape for extracting film tongues from 135 film cartridges.

product code	description
MFP.120.043.111	manual film picker for 135 film



Manual Film Puller, an easy to use tool, no skills are required for quickly extracting your films. Uses special **Film Puller Tape** on rolls of 10 metres. Various spare parts available.

product code	description
MFP.165.090.140	manual film puller incl. 1 roll of tape
FPT.160.010.301	film puller tape 16 mm x 10 m
MFP.DRI.ROL.ASS	spare drive roller assembly
MFP.MOV.KNF.ASS	spare movable knife assembly
MFP.RUB.BER.000	spare rubber drive ring
MFP.TNG.GUI.000	spare tongue guide



Labokey **Automatic Film Extractor**, fully automatic machine, for quickly and safely extracting high volumes of films. **Film Puller Tape** for use on this machine is supplied on rolls of 100 metres packed per 3 rolls including a new knife for the film extractor. Various spare parts available.

product code	description
SFE.212.337.185	Labokey film extractor L-6000
FPT.150.100.302	film puller tape 15 mm x 100 m
FPT.SSS.370.080	spare knife



Replacement **Extractor Blades** for the SB2, SB3 and AB3 film extractor units on Noritsu and Kodak equipment.

product code	description
SB2.217.034.012	SB2 tongue set (2)
SB2.217.034.DIM	SB2 tongue dimpled
SB3.183.034.012	SB3 tongue set (2)
SB3.183.034.DIM	SB3 tongue dimpled
AB3.NOR.EXT.BLA	AB3 extractor blade
AB3.NOR.INS.GUI	AB3 insertion guide

APS PRODUCTS



Manual APS Film Picker, an economic, manual tool for detaching and re-attaching APS films. Including driver tool for opening the film cassette's light-door.

product code	description
MFP.APS.170.024	manual film picker APS incl. driver tool
APS.DRI.T00.DT1	APS driver tool per 10



Manual APS Crown Detach Unit, manual tool for detaching APS films. Driver tool for opening the film cassette's light-door can be ordered separately.

product code	description
APS.MDU.DEV.MD2	manual APS Crown detach unit
APS.DET.TNG.MD2	APS detacher tongue
APS.DRI.T00.DT1	APS driver tool per 10

APS PRODUCTS



Manual APS Detacher & Rewinder, manual tool for extracting APS films and at the same time spooling them into a universal film cassette for developing in a regular minilab.

product code	description
APS.MAN.DET.REW	manual APS detacher & rewinder
APS.DET.SPA.STR	spare detacher tongue spline
SP-APS.MAN.DET.SHA	spare shaft
RFC.UNI.APS.DET	re-usable detacher cassette for APS film



APS Replacement Cassettes, packed per 10 pieces.

product code	description
RPC.APS.015.001	replacement cassette APS for 15 exposures
RPC.APS.025.001	replacement cassette APS for 25 exposures
RPC.APS.040.001	replacement cassette APS for 40 exposures



These **Mini Darkbox** adapters are loaded with your customer's exposed APS cartridge so that the whole assembly fits easily into any processor. Once loaded a key on the side opens the light-door and the driver tool (included) advances the film.

product code	description
APS.MDB.FIL.MD1	mini darkbox 5 pack



APS Film Reshapers easy to use tool for reshaping and punching the leading or trailing ends of APS films. Necessary when the original profiles have been cut-off or damaged. Quality units of Labokey (L-7200) designed for many years of heavy-duty use. Spare knives available.

product code	description
APS.RES.FRO.L72	resaper front Labokey L-7200
APS.RES.REA.L72	resaper rear Labokey L-7200
APS.RES.LED.TLR	set resaper front and resaper rear
SP-L.720.FB1A	spare front blade assembly
SP-L.720.RB2A	spare rear blade assembly



The **Manual Re-Attacher** is a sophisticated tool for manually re-attaching the trailing end of a processed APS film onto the spool and rewinding it back into the cassette.

product code	description
APS.REA.MAN.000	manual re-attacher
APS.REA.MAN.TNG	spare re-attacher tongue




Automatic Re-Attacher for higher work loads. High quality unit made by Labokey Japan (L-7300).

product code	description
APS.REA.FIL.L73	automatic re-attacher Labokey L-7300
SP-L.730.M1	spare re-attacher finger
SP-L.730.M5	spare cartridge spool pin bush
SP-L.730.M6	spare lightlock door drive pin
SP-L.730.T45M	spare cam, white plastic



FILM CHECK LABELS



Polyester Aluminium Coated Film Check Labels for optimum resistance to chemistry and highest readability after processing.

* triple checks

product code	quantity per roll	colour
FA4.070.210.21B	1000	black
FA4.070.225.21B	2500	black
FA4.070.250.21B	5000	black
FA4.070.210.21E	1000	blue
FA4.070.225.21E	2500	blue
FA4.070.250.21E	5000	blue
FA4.070.225.21H	2500	green
FA4.070.250.21H	5000	green
FA4.070.210.21D	1000	red
FA4.070.225.21D	2500	red
FA4.070.250.21D	5000	red
FA4.070.225.31D*	2500	red



Chemical proof **Easy Checks** in a multicolour sequence.

product code	quantity per roll	colour
FC4.080.170.213	2500	rainbow

FILM SPLICE TAPES



SST Tape - Silicone adhesive coated on a 50 micron thick polyester base. This premium tape utilises the most advanced adhesive technology available for film splicing. It features high adhesion with guaranteed trouble free film and leadercard separation after processing.

product code	width / length	colour
SST.190.066.512	19 mm x 66 m	blue
SST.250.066.512	25 mm x 66 m	blue
SST.190.066.GOL	19 mm x 66 m	gold
SST.250.066.GOL	25 mm x 66 m	gold
SST.190.066.812	19 mm x 66 m	green
SST.250.066.812	25 mm x 66 m	green
SST.190.066.412	19 mm x 66 m	red
SST.250.066.412	25 mm x 66 m	red



AST Tape - Acrylic type adhesive coated on a polyester base. A combination of a robust polyester base with an extremely strong type of adhesive.

product code	width / length	colour	thickness base
AST.190.066.301	19 mm x 66 m	black	36 micron
AST.250.066.301	25 mm x 66 m	black	36 micron
AST.190.066.601	19 mm x 66 m	yellow	25 micron
AST.190.066.602	19 mm x 66 m	yellow	50 micron
AST.250.066.601	25 mm x 66 m	yellow	25 micron
AST.250.066.602	25 mm x 66 m	yellow	50 micron



ASC Tape - Rubber compound adhesive coated on a PVC base. Most economical version for less critical use. Available in black only.

product code	width / length	colour
ASC.190.066.300	19 mm x 66 m	black
ASC.250.066.300	25 mm x 66 m	black

DISPENSERS



Twin Check & Tape Dispenser the ideal solution when space is limited. The twin check section holds up to two full size rolls of 5000 pairs each. The tape section holds a 66 metre roll of 25 mm wide splice tape.

product code	description
TTD.225.250.000	twin check & tape dispenser

DISPENSERS



This **Automatic Tape Dispenser** can handle tape rolls up to 30 mm in width and 66 metres in length. Tape core size either 1" or 3" (core adapter included). The tape is automatically advanced and the cut length is adjustable. Battery operated (batteries not included). Provision for an AC adapter. Replacement blades in stock.

product code	description
ATD.175.090.105	tape dispenser automatic M-800
ATD.RPL.KNF.000	spare knife



Manual Label Dispenser for up to 3 rolls of film check labels of maximum 2500 pairs each.

product code	description
MLD.070.135.120	label dispenser manual



Manual Tape Dispenser for 1" and 3" cores and handles tapes up to 30 mm wide. The cut length of the tape can be adjusted. Replacement blades in stock.

product code	description
MTD.185.105.115	tape dispenser manual
MTD.RPL.ARM.SL1	spare dispenser arm
MTD.RPL.CRL.SL1	spare core holder 3"
MTD.RPL.CRS.SL1	spare core holder 1"
MTD.RPL.KNF.000	spare knife
MTD.RPL.KNF.HLD	spare knife holder

DUST AND STATIC CONTROL



Nostat-X Plus® minimises static build-up on all makes of colour negative and transparency films. Films remain anti-static indefinitely. Considerably improves film cleanliness even in poor quality water areas. Highly concentrated for utmost economy. Suitable for both wash and washless processes, C41 and E6.

product code	description	contents
NOS.TAT.237.012	Nostat-X Plus additive	237 ml



Special **Anti-Static Sprays** to drastically reduce static charge forming on practically all surfaces. Choose between the famous **Nostat-X®** or the economical **Sprayway®** version. Both are non-flammable and non-toxic.

product code	description	contents
ANT.STA.SPR.450	Sprayway anti-static spray	400 ml
NOS.TAT.STS.160	Nostat-X static control spray	474 ml
NOS.TAT.STS.450	Nostat-X static control container	3.79 l



Technotape **Clean Air Sprays** are primarily designed for dusting off negatives and sensitive optical equipment. Choose between a standard version with plastic nozzle or a screw-type version suitable for accessories.

product code	description	contents
CAV.501.620.012	Air Spray inflammable with nozzle	500 ml
CAV.501.620.112	Air Spray non-flammable with nozzle	400 ml
CAV.502.620.012	Air Spray inflammable with screw-top	500 ml
CAV.502.620.112	Air Spray non-flammable with screw-top	400 ml
CAD.103.003.006	metal spray nozzle with tube extension	
CAS.502.620.010	metal spray nozzle for screw-top	

DUST AND STATIC CONTROL




Two special lint-free **Anti-Static Cloths** permanently impregnated with an anti-static solution.

product code	description
ASD.260.330.209*	anti-static cloth yellow ± 26 x 33 cm
ASD.280.370.205	anti-static cloth orange ± 29 x 30 cm

* economy version

GLOVES AND FINGERTIPS



Technotape's **Cotton Gloves** are made of 100% natural cotton and are available in either a thick durable version or a thinner type for more touch sensitivity. Both types can be worn on either the left or right hand.

product code	description
CGB.005.010.100	cotton gloves thick M
CGB.005.013.100	cotton gloves thick L
CGB.070.007.150	cotton gloves thin XS
CGB.070.008.150	cotton gloves thin S
CGB.070.010.150	cotton gloves thin M
CGB.070.012.120	cotton gloves thin L
CGB.070.014.120	cotton gloves thin XL



Super Gloves from Technotape. Stretchable, extremely good fit and very comfortable for every day wear. Material is washable. Two sizes available.

product code	description
SGS.MED.005.600	super gloves stretchable M
SGS.ELA.005.300	super gloves stretchable XL



100% natural **Latex Gloves**. Strong quality. Packed per 100 pieces.

product code	description
LGW.SMA.000.100	latex gloves S
LGW.MED.078.100	latex gloves M
LGW.LAR.000.010	latex gloves L
LGW.ELA.910.100	latex gloves XL



Pure **Latex Fingertips** for utmost sensitivity.

product code	description
FTL.SMA.144.025	latex finger cots S - 144 pieces
FTL.SMA.A44.025	latex finger cots S - 1440 pieces
FTL.MED.144.025	latex finger cots M - 144 pieces
FTL.MED.A44.025	latex finger cots M - 1440 pieces
FTL.LAR.144.025	latex finger cots L - 144 pieces
FTL.LAR.A44.025	latex finger cots L - 1440 pieces
FTL.ELA.144.025	latex finger cots XL - 144 pieces
FTL.ELA.A44.025	latex finger cots XL - 1440 pieces



Lint-free **Anti-Static Gloves** made of a special conductive anti-static fibre. Comfortable material, excellent fit. Material is washable.

product code	description
SGS.AST.005.900	super gloves anti-static, stretchable

SLEEVERS



Manual Film Sleever - Simple cost effective sleever for perforated or Film-Kive® sleeving. Suitable for 135 films up to 6 frames and 120/220 films up to 3 frames. Manual film insertion, film cutting and sleeve transport. With illuminated film guide. A 110V model is also available.



Labokey 2310® Film Sleever - High capacity semi-automatic sleever with fully automated calibration. Can handle up to 300 films per hour. Sleeve transport and film insertion is automatic. Manual sleeve cutting with safety feature. Suitable for 135, 126 and 110 (with adapter) film formats. White LED film illumination for easier viewing. Supplied in 4, 5 or 6 frame versions. Frame length adapter plates available separately.



Labokey 2410® Film Sleever - Highest capacity fully automated sleever with stand. Electronic features allow a top production speed of 360 films per hour. Sensors are auto calibrating. Unexposed frames at the end of each film are evenly distributed into the sleeving pockets. Suitable for 135 films up to 6 frames wide. Automatic sleeve transport, film insertion, film and sleeve cutting. May also be used in Semi-Auto mode. Illuminated film guide and extensive safety features are standard. Also available as a tabletop model without the stand (pictured).

product code	description
SLV.MAN.UNI.110	film sleever manual for 135 and 120 film, 110V
SLV.MAN.UNI.220	film sleever manual for 135 and 120 film, 220V

product code	description
310.240.TAB.TOP	Labokey 2310 table top 4 frames
310.240.TAB.TP5	Labokey 2310 table top 5 frames
310.240.TAB.TP6	Labokey 2310 table top 6 frames
310.240.SFB.4FR	sleeve feed base for 4 frames
310.240.SFB.5FR	sleeve feed base for 5 frames
310.240.SFB.6FR	sleeve feed base for 6 frames

product code	description
410.240.100.XXX	Labokey 2410 sleever + stand
410.240.TAB.TOP	Labokey 2410 sleever table top

ROLL SLEEVING

All our sleeving material has been anti-static and corona treated (for higher printing quality). Base material is manufactured on advanced HDPE or PP Extrusion machinery.



The **Film-Kive®** archive system features super clear ready punched sleeving. The material is perforated for easy removal. Each roll of Film-Kive® contains either 100 or 250 sheets.



Printed Sleeving Material
Sleeving printed with Agfa, Kodak Express (2 colours), Konica, FujiColor or FujiFilm are available. Alternatively, we can also supply sleeving imprinted with your logo or message in up to 2 colours on each sleeve pocket. Minimum order is 24 rolls. Ask our Customer Services for more details and latest prices.



Perforated Easy Tear Sleeving Material for easy use. Designed for simple manual sleeving units.



Non Perforated Sleeving Material in anti-static matt or super clear materials.

product code	frames	roll length	finish	film
FK6.230.100.300	7 x 6 frame	100 sheets	clear	135
FK6.230.250.200	3 x 4 frame	250 sheets	clear	120
FK6.230.250.300	7 x 6 frame	250 sheets	clear	135

product code	frames	roll length	finish	film	style*
Agfa					
ES4.170.335.2AG	4 frame	300 m	matt	135	N
FujiColor					
ES4.170.335.2FC	4 frame	300 m	matt	135	N
FujiFilm					
ES4.170.335.2FF	4 frame	300 m	matt	135	N
Kodak Express					
ES4.170.335.2KE	4 frame	300 m	matt	135	N
ES5.193.335.2KE	5 frame	300 m	matt	135	N
ES6.230.335.2KE	6 frame	300 m	matt	135	N
Konica					
ES4.170.335.2KO	4 frame	300 m	matt	135	N

product code	frames	roll length	finish	film	style*
ES4.160.335.20B	4 frame	300 m	matt	135	N
ES4.162.335.21B	4 frame	300 m	matt, white belt	135	C
ES6.230.335.2ET	6 frame	300 m	matt	135	N

product code	frames	roll length	finish	film	style*
ES3.195.340.31E	3 frame	300 m	clear	6 x 6 cm	
ES3.195.440.31E	3 frame	400 m	clear	6 x 6 cm	
ES3.230.340.31E	3 frame	300 m	clear	6 x 7 cm	
ES3.230.440.21E	3 frame	400 m	matt	6 x 7 cm	
ES3.230.440.31E	3 frame	400 m	clear	6 x 7 cm	
ES4.170.335.21E	4 frame	300 m	matt	135	N
ES4.170.340.31E	4 frame	300 m	clear	135	N
ES4.170.435.21E	4 frame	400 m	matt	135	N
ES4.170.440.31E	4 frame	400 m	clear	135	N
ES5.193.335.21E	5 frame	300 m	matt	135	N
ES5.193.435.21E	5 frame	400 m	matt	135	N
ES5.195.340.31E	5 frame	300 m	clear	135	N
ES5.195.440.31E	5 frame	400 m	clear	135	N
ES6.230.335.21E	6 frame	300 m	matt	135	N
ES6.230.340.31E	6 frame	300 m	clear	135	N
ES6.230.435.21E	6 frame	400 m	matt	135	N
ES6.230.440.31E	6 frame	400 m	clear	135	N

* N is Noritsu style / C is Crown style

AGFA / COPAL

Bring down your operating costs with our spare parts and consumables for Agfa minilabs. Our product range is continually being updated, so please contact us should your product not appear here.



Many types of re-usable **Film Cassettes**, both regular and APS, are available from stock. All feature specially designed soft and scratch free velvet film slits.



Technotape has renewed and extended its range of **Air Filters**. Only the original materials, or materials with the same airflow value, are used.

FILM CASSETTES

product code	description
RFC.COP.110.173	re-usable for 110 film
RFC.COP.120.170	re-usable for 120 film
RFC.COP.120.17L	re-usable for 120 film with levers
RFC.COP.126.174	re-usable for 126 film
RFC.COP.APS.000	re-usable for APS film
RFC.FUJ.INT.MED	re-usable for APS film, intermediate

LEADERCARDS

product code	product code	size	colour
135 film	APS		
FLC.180.093.034	FLC.180.093.A34	180 x 93 mm	black
FLC.246.167.026	FLC.246.167.A26	246 x 167 mm	transparent
FLC.246.167.044	FLC.246.167.A44	246 x 167 mm	black
FLC.258.175.012	FLC.258.175.A12	258 x 175 mm	transparent

AIR FILTERS

product code	length	width	thickness	colour	OEM number
AFA.035.080.002	35 mm	80 mm	2 mm	black	CL+P4-93646
AFA.060.098.004	60 mm	98 mm	6 mm	white	CL+P4-87794
AFA.074.088.004	75 mm	90 mm	3 mm	white	CL+P4-87873
AFA.080.075.210	80 mm	75 mm	15 mm	white	CM+7.8509.2902.1
AFA.080.080.510	80 mm	80 mm	5 mm	black	CL+P4-4071 (3/1)
AFA.117.117.500	117 mm	117 mm	15 mm	white	CM+7.0431.7225.0
AFA.135.135.480	135 mm	135 mm	15 mm	white	CM+9.8061.FEL2.0/CM+9.8061.FEL4.0
AFA.139.135.250	139 mm	135 mm	6 mm	white	CL+P4-E3812
AFA.141.165.020	160 mm	140 mm	15 mm	white	CM+7.8506.1106.1
AFA.163.106.520	163 mm	106 mm	10 mm	black	CL+F4-A4028
AFA.173.130.180	173 mm	130 mm	5 mm	black	
AFA.192.161.080	192 mm	161 mm	15 mm	white	CM+7.8506.2256.0
AFA.234.225.470	234 mm	225 mm	15 mm	white	CM+9.8061.LHL4.0/CM+9.8061.LH500
AFA.335.068.490	335 mm	68 mm	15 mm	white	CM+9.8061.MUL8.0
AFA.375.206.260	375 mm	206 mm	6 mm	white	CL+P3-E0898/CL+P4T-E9247

product code	description
AFA.AIR.KIT.001	Air Filter Agfa kit d.lab-2/3, set containing 8 filters

CORD WOUND FILTERS

product code	length	outside Ø	inside Ø	filtration
FPP.530.165.025	165 mm	53 mm	32 mm	25 micron
FPP.530.165.050	165 mm	53 mm	32 mm	50 micron
FPP.635.165.025	165 mm	60 mm	32 mm	25 micron
FPP.635.165.050	165 mm	60 mm	32 mm	50 micron
FPP.635.254.025	248 mm	60 mm	28 mm	25 micron
FPP.635.254.050	248 mm	60 mm	28 mm	50 micron

SINTERED FILTERS

product code	length	outside Ø	inside Ø	filtration
SCF.075.035.D22	75 mm	35 mm	22 mm	60 micron
SCF.086.025.016	86 mm	25 mm	15 mm	60 micron
SCF.140.035.D22	140 mm	35 mm	22 mm	60 micron
SCF.140.222.284	140 mm	28 mm	22 mm	60 micron
SCF.142.025.016	142 mm	25 mm	15 mm	60 micron
SCF.202.025.015	202 mm	25 mm	15 mm	60 micron

AGFA / COPAL

WRAPPED FILTERS

product code	length	outside Ø	inside Ø
SCF.075.035.022	75 mm	35 mm	22 mm
SCF.140.035.022	140 mm	35 mm	22 mm

LAMPS

product code	description	brand	type*
HLS.GX5.3	lamp socket HPL		1
HPL.341.100.066	halogen lamp 6.6A 100W	Osram HLX 64341	F
HPL.342.100.066	halogen lamp 6.6A 100W	Osram HLX 64342	F
HPL.342.100.A66	halogen lamp 6.6A 100W	Osram HLX 64342 A	F
HPL.631.024.250	halogen lamp 24V 250W ELC	Philips 13631	A
HPL.653.024.250	halogen lamp 24V 250W ELC	Osram HLX 64653	A
HPL.654.024.250	halogen lamp 24V 250W ELC	Osram HLX 93654, longlife	A
HPL.ELC.024.250	halogen lamp 24V 250W ELC	General Electric 37462	A
HPL.EHJ.024.250	halogen lamp 24V 250W EHJ	General Electric 14874	B
HPL.657.024.250	halogen lamp 24V 250W EVC	Osram HLX 64657	B
HPL.958.024.250	halogen lamp 24V 250W EVC	Philips 6958	B

INKING RIBBONS

product code	description	width	type*
IRN.080.055.663	inking ribbon black OCR	8 mm	E
IRN.080.055.663B	inking ribbon blue	8 mm	E
IRN.080.055.663V	inking ribbon violet	8 mm	E
IRN.127.016.001	inking ribbon black	12.7 mm	Z
IRN.130.060.095	inking ribbon black	13 mm	F
IRN.130.100.051	inking ribbon black OCR - 2 reels	13 mm	G
IRN.130.100.488	inking ribbon black OCR - 2 reels	13 mm	D
IRN.130.100.530	inking ribbon black OCR	13 mm	B

CLEANING LEADERS

product code	description	OEM number
TP8.8010.0020.0	cleaning leader APS for Agfa MSC/d.lab-2/3	CM+9.8506.1330.0
TP8.8506.1340.0	cleaning leader 135 for Agfa MSC/d.lab-2/3	CM+8.8506.1340.0/CM+9.8506.1340.0

SQUEEGEE ROLLERS

product code	description	OEM number
TP.0010.0330.0	conditioning roller Agfa MSC 2-3	CL+P4-8213
TP.0010.0340.0	squeegee roller Agfa MSC 2-3	CL+P4-8212
TP.0010.F4-25080	squeegee roller Agfa - Copal	CL+P4-25080

DRIVE PARTS

product code	description	OEM number
TP.CL+F3-45221	roller set upper Copal FR-214/CFP-252/CFP-278	CL+F3-45221
TP.CL+F3-45224	feed gears Agfa - Copal FP100/200/210	CL+F3-A0431/CL+F3-45224
TP.CL+F3-45226	feed gears Agfa - Copal FP100/200/210	CL+F3-A0432/CL+F3-45226
TP.CL+F3-45447	feed gears Agfa - Copal FP100/200/210	CL+F3-45447
TP.CL+F3-45449	feed gears Agfa - Copal FP100/200/210	CL+F3-45449
TP.CL+F3-C0641	gear set idle Copal CFP-2100	CL+F3-65367
TP.CL+F3-C0642	gear feed Copal CFP-2100	

RUBBER ROLLERS

product code	description	OEM number
TP.0010.0320.0	rubber roller Agfa MSC 2-3	CL+P4-8211

SOFT TOUCH TYRES

product code	description	OEM number
TP.P4-63303	soft touch tyre Agfa - Copal	CL+P4-63303



Cleaning Leaders are used for removing all dust and dirt in the filmdeck, including the filmdrive rollers and the APS magnetic reading head. Especially useful for today's high production machines where dust can be difficult to detect.



Feed Gears are used to drive leadercards through different chemical baths in Agfa, Copal and some Gretag minilabs. Technotape's feed gears match the original quality at a competitive price.

* see page 25

FUJI

We keep most of these items on stock, including dedicated consumables for the popular Frontier series. Our product range is continually being updated, so please contact us should your product not appear here.



Many types of re-usable **Film Cassettes**, both regular and APS, are available from stock. All feature specially designed soft and scratch free velvet film slits.



Technotape has renewed and extended its range of **Air Filters**. Only the original materials, or materials with the same airflow value, are used.

FILM CASSETTES

product code	description
RFC.FUJ.110.000	re-usable for 110 film
RFC.FUJ.120.000	re-usable for 120 film, square
RFC.FUJ.120.001	re-usable for 120 film, round
RFC.FUJ.126.000	re-usable for 126 film
RFC.FUJ.APS.000	re-usable for APS film
RFC.FUJ.INT.MED	re-usable for APS film, intermediate

LEADERCARDS

product code	product code	size	colour
135 film	APS		
FLC.223.105.014	FLC.223.105.A14	223 x 105 mm	transparent
FLC.223.132.024	FLC.223.132.A24	223 x 132 mm	transparent
FLC.223.159.025	FLC.223.159.A25	223 x 159 mm	transparent
FLC.225.168.031	FLC.225.168.A31	225 x 169 mm	transparent
FLC.225.169.A45	FLC.225.169.A45	225 x 169 mm	auto-load, transparent

AIR FILTERS

product code	length	width	thickness	colour	OEM number
AFF.080.075.270	80 mm	75 mm	3 mm	white	376G03001
AFF.085.085.400	85 mm	85 mm	5 mm	black	376G03703
AFF.087.087.600	87 mm	87 mm	23.5 mm	white	138D966462B
AFF.115.115.150	115 mm	115 mm	5 mm	black	376N0140/4B5482292
AFF.116.110.390	116 mm	110 mm	5 mm	black	376G03702
AFF.152.152.380	152 mm	152 mm	5 mm	black	376G03606
AFF.173.160.190	173 mm	160 mm	10 mm	black	70B5223161
AFF.213.021.610	213 mm	21 mm	28 mm	white	138D966460F
AFF.253.112.460	253 mm	112 mm	22.5 mm	white	374D890141A
AFF.400.096.620	400 mm	96 mm	5 mm	black	367F0225A
AFF.575.135.370	575 mm	135 mm	10 mm	black	376G03604

CORD WOUND FILTERS

product code	length	outside Ø	inside Ø	filtration
FPP.530.165.025	165 mm	53 mm	32 mm	25 micron
FPP.530.165.050	165 mm	53 mm	32 mm	50 micron

SINTERED FILTERS

product code	length	outside Ø	inside Ø	filtration
SCF.028.015.005	28 mm	15 mm	5 mm	60 micron
SCF.035.015.005	35 mm	15 mm	5 mm	60 micron
SCF.123.030.020	123 mm	28 mm	22 mm	60 micron
SCF.185.222.284	185 mm	28 mm	22 mm	60 micron

FUJI



Technotape replacement filters for the Fuji Rinse Saving System and the Fuji Pictrostat system. Excellent price/quality ratio.

PICTROSTAT FILTERS

product code	length	outside Ø	machine type
FAC.078.047.000	78 mm	47 mm	Pictrostat 50/200
FAC.084.039.000	84 mm	39 mm	Pictrostat 300/400

RINSE FILTER

product code	description	OEM number
FRS.125.316.FUJ	Fuji Rinse Filter	FRSS-10

LAMPS

product code	description	brand	type*
HPL.664.036.400	halogen lamp 36V 400W	Osram HLX 64664	B
HPL.663.036.400	halogen lamp 36V 400W EVD	Osram HLX 64663	B
HPL.787.036.400	halogen lamp 36V 400W EVD	Philips 7787	B
HPL.EVD.036.400	halogen lamp 36V 400W EVD	General Electric 41164	B
HPL.EVD.036.40U	halogen lamp 36V 400W EVD	Ushio 9966391	B
HPL.EPW.100.360	halogen lamp 100V 360W EPW	General Electric 41702	A
HPL.JCD.100.650	halogen lamp 100V 650W JCD	Sylvania 9061060	D
HPL.JCD.100.65P	halogen lamp 100V 650W JCD	Philips JCD 100/650 CL	D
HPL.JCD.100.65U	halogen lamp 100V 650W JCD	Ushio 0501409	D

INKING RIBBONS

product code	description	width	type*
IRN.080.055.663	inking ribbon black OCR	8 mm	E
IRN.080.055.663B	inking ribbon blue	8 mm	E
IRN.080.055.663V	inking ribbon violet	8 mm	E
IRN.110.120.50T	inking ribbon black OCR - hexagon shield	11 mm	A
IRN.130.060.095	inking ribbon black	13 mm	F
IRN.130.100.051	inking ribbon black OCR - 2 reels	13 mm	G
IRN.130.100.488	inking ribbon black OCR - 2 reels	13 mm	D

PUMPS AND ACCESSORIES


product code	description	OEM number
TP.PMP.VALVE.WH	Iwaki poppet valve white	374G03751/374N2012
TP.PMP.VALVE.YL	Iwaki poppet valve yellow	374G03750/1091003-00

SQUEEGEE ROLLERS

product code	description	OEM number
TP.0010.0010.0	squeegee roller Fuji FP230B	334G03153
TP.0010.0020.0	squeegee roller Fuji FP230B	334G03161
TP.0010.0060.0	squeegee roller Fuji FP550	334G03127

SQUEEGEE BLADES

product code	description	OEM number
FSD.111.430.102	squeegee blade Fuji FP 350/500/900/922	384G03102
FSD.400.485.13A	squeegee blade Fuji FP 350/500/900/922	384G03013A
FSD.485.430.14A	squeegee blade Fuji FP 350/500/900/922	384G03014A
FSR.490.185.101	squeegee blade Fuji FP 350/500/900/922	384G03101



Squeegee Blades are used in some types of Fuji minilabs. Technotape's blades are made from the highest quality of raw materials available today. Designs and profiles are based on years of experience in the central labs industry.

* see page 25

GRETAG

Try us first for your consumables or spare parts for Gretag minilabs. It could save you money. Our product range is continually being updated, so please contact us should your product not appear here.



All **Leadercards** are manufactured from 100% top grade polyester. Standard thickness is 250 microns. Cards are diecut, using state-of-the-art rotation equipment.

FILM CASSETTES

product code	description
RFC.GRG.120.000	re-usable for 120 film
RFC.GRG.126.000	re-usable for 126 film

LEADERCARDS

product code	product code	size	colour
135 film	APS		
FLC.182.085.040	FLC.182.085.A40	182 x 85 mm	transparent
FLC.182.085.041	FLC.182.085.A41	182 x 85 mm	milky white
FLC.182.103.027	FLC.182.103.A27	182 x 103 mm	transparent
FLC.182.103.046	FLC.182.103.A43	182 x 103 mm	milky white
FLC.246.167.026	FLC.246.167.A26	246 x 167 mm	transparent
FLC.246.167.044	FLC.246.167.A44	246 x 167 mm	black
FLC.276.084.023	FLC.276.084.A23	276 x 84 mm	transparent
FLC.276.158.013	FLC.276.158.A13	276 x 158 mm	transparent

AIR FILTERS

product code	length	width	thickness	colour	OEM number
AFG.060.060.33M	59.9 mm	59.9 mm	1.5 mm	metal	11.97.94/164451840
AFG.112.105.010	112 mm	105 mm	10 mm	white	
AFG.115.115.140	115 mm	115 mm	3 mm	white	11.54.43
AFG.116.114.45M	116 mm	114 mm	1.5 mm	metal	11.54.43
AFG.120.118.420	120 mm	118 mm	8 mm	white	164451330/164451331
AFG.120.185.010	120 mm	185 mm	10 mm	white	
AFG.125.125.410	125 mm	125 mm	12 mm	white	164451840
AFG.150.150.010	150 mm	150 mm	10 mm	white	
AFG.150.160.010	150 mm	160 mm	10 mm	white	
AFG.160.140.440	160 mm	140 mm	8 mm	white	164451371/189881860
AFG.270.150.430	270 mm	150 mm	12 mm	white	164451740

CORD WOUND FILTERS

product code	length	outside Ø	inside Ø	filtration
FPP.460.220.025	220 mm	46 mm	28 mm	25 micron
FPP.460.220.050	220 mm	46 mm	28 mm	50 micron
FPP.530.127.025	127 mm	53 mm	32 mm	25 micron
FPP.530.127.050	127 mm	53 mm	32 mm	50 micron
FPP.635.254.025	248 mm	60 mm	28 mm	25 micron
FPP.635.254.050	248 mm	60 mm	28 mm	50 micron

SINTERED FILTERS

product code	length	outside Ø	inside Ø	filtration
SCF.123.030.020	123 mm	28 mm	22 mm	60 micron
SCF.132.265.203	132 mm	27 mm	20 mm	60 micron
SCF.140.035.D22	140 mm	35 mm	22 mm	60 micron
SCF.155.265.203	155 mm	27 mm	20 mm	60 micron

WRAPPED FILTERS

product code	length	outside Ø	inside Ø
SCF.125.046.T29	125 mm	46 mm	29 mm
SCF.140.035.022	140 mm	35 mm	22 mm

GRETAG

LAMPS

product code	description	brand	type*
HLS.884.145	lamp socket HPL 145 mm leads		2
HLS.903-168.395	lamp socket HPL 395 mm leads		3
HPL.621.012.100	halogen lamp 12V 100W	Osram HLX 64621	F
HPL.EJL.024.200	halogen lamp 24V 200W EJJ	General Electric 29150	A
HPL.631.024.250	halogen lamp 24V 250W ELC	Philips 13631	A
HPL.653.024.250	halogen lamp 24V 250W ELC	Osram HLX 64653	A
HPL.654.024.250	halogen lamp 24V 250W ELC	Osram HLX 93654, longlife	A
HPL.ELC.024.250	halogen lamp 24V 250W ELC	General Electric 37462	A
HPL.657.024.250	halogen lamp 24V 250W EVC	Osram HLX 64657	B
HPL.958.024.250	halogen lamp 24V 250W EVC	Philips 6958	B

INKING RIBBONS

product code	description	width	type*
IRN.127.100.GTG	inking ribbon black	12.7 mm	K
TTR.067.400.TCR	thermo transfer ribbon		I

CLEANING LEADERS

product code	description	OEM number
TP.8010.0030.0	cleaning leader APS Gretag ML/MF	37.48.73

SQUEEGEE ROLLERS

product code	description	OEM number
TP.0010.0090.0	squeegee roller Gretag ML	155251590
TP.0010.0450.0	squeegee roller Gretag MF	155252570

PUMPS AND ACCESSORIES

product code	description	OEM number
TPPMP.MD06Z.110	Iwaki Pump MD6Z 100V	002167070
TPPMP.MD06Z.220	Iwaki Pump MD6Z 220V	002167070

FILM FANS AND PAPER FANS

product code	description	OEM number
TP.11.50.45	fan paper deck Gretag ML	11.50.45
TP.9900.0030.0	fan assembly film dryer Gretag ML	153992794
TP.9900.0040.0	fan assembly paper dryer Gretag ML	153992803

ELECTRICAL COMPONENTS

product code	description	OEM number
TP.002133205	geared motor sorter Gretag ML	002133205
TP.002840537	power switch Gretag ML	002840537
TP.002840557	switch Gretag ML	002840557
TP.1420340	vacuum switch Gretag ML	140520340
TP.1513552163	blade support Gretag ML	1513552163
TP.153992454	solenoid knife Gretag ML	153992782
TP.34.12.22	geared motor Gretag ML/MF	34.12.22
TP.34.55.96	print counter Gretag ML	34.55.96
TP.37.08.12	motor colorscanner Gretag MF	37.08.12

RUBBER COMPONENTS

product code	description	OEM number
TP.0011.0080.0	replenishment foam gasket Gretag ML	168051590
TP.0040.0060.0	heater bushing Gretag ML	162253860
TP.163450882	rubber spring Gretag ML	163450882



These **Squeegee Rollers** are made to original manufacturers' specifications and have been thoroughly tested. The shafts are made from highly durable ABS. The foam coating that we apply is specially formulated not to swell when it is soaked, preventing problems of excess pressure on the film or paper.



Electrical Components are sourced directly from the OEM's own suppliers. Therefore quality is guaranteed while prices remain competitive.

GRETAG



The **Valox Rollers** used in Gretag Master Labs should be kept clean to prevent scratching. Damaged or old rollers should be replaced.



Dryer Rollers for Gretag Master Labs. The foam rings can become loose over time so that the complete roller needs to be replaced. We carry a full programme of all Master Lab Foam Rings and complete Dryer Rollers for the Master Lab drying cabinet.

FOAM RINGS AND FOAM TUBES

product code	description	OEM number
TP.0011.0050.0	foam ring 40 mm Gretag ML	141426250
TP.0011.0060.0	foam ring 30 mm Gretag ML	141426240

VALOX ROLLERS

product code	description	OEM number
TP.0010.0520.0	roller valox T=16/21 Gretag ML	152250890
TP.0010.0530.0	roller valox T=16 Gretag ML	152250870
TP.0010.0540.0	roller valox T=21 Gretag ML	152250880
TP.0010.0550.0	roller film Gretag ML	165251580
TP.0010.0560.0	roller film Gretag ML	165251592

RUBBER ROLLERS

product code	description	OEM number
TP.0010.0240.0	rubber roller Gretag ML paper	152251040
TP.0010.0460.0	rubber roller Gretag MF, 2 gears	152251150
TP.0010.0510.0	rubber roller Gretag MF, 1 gear	152251061
TP.0015.0060.0	rubber roller Gretag filmdeck	34.47.02
TP.0015.0070.0	rubber roller Gretag filmdeck	34.47.08
TP.0015.0100.0	rubber roller Gretag filmdeck	36.09.37

DRYER ROLLERS

product code	description	OEM number
TP.0010.0480.0	roller dryer T26 D27 Gretag ML	141426260
TP.0010.0490.0	roller dryer T-31 Gretag ML	141426250
TP.0010.0500.0	roller dryer T-31 Gretag ML	141426240
TP.0010.0570.0	roller dryer paper Gretag ML	141426270
TP.0010.0590.0	roller dryer T26/31 Gretag ML	152251110

KIS

A popular selection of consumables for Kis minilabs. Our product range is continually being updated, so please contact us should your product not appear here.



LEADERCARDS

product code	product code	size	colour
135 film	APS		
FLC.246.167.026	FLC.246.167.A26	246 x 167 mm	transparent
FLC.246.167.044	FLC.246.167.A44	246 x 167 mm	black

CORD WOUND FILTERS

product code	length	outside Ø	inside Ø	filtration
FPP.530.061.075	61 mm	53 mm	28 mm	75 micron
FPP.635.102.025	102 mm	60 mm	28 mm	25 micron
FPP.635.102.050	102 mm	60 mm	28 mm	50 micron

SINTERED FILTERS

product code	length	outside Ø	inside Ø	filtration
SCF.136.222.284	136 mm	28 mm	22 mm	60 micron
SCF.140.035.D22	140 mm	35 mm	22 mm	60 micron

WRAPPED FILTERS

product code	length	outside Ø	inside Ø
SCF.230.222.284	230 mm	28 mm	22 mm
SCF.140.035.022	140 mm	35 mm	22 mm

LAMPS

product code	description	brand	type*
HPL.627.012.035	halogen lamp 12V 35W	Philips 14627, halotone	A
HPL.ENL.012.050	halogen lamp 12V 50W ENL	General Electric 25475	A
HPL.637.012.100	halogen lamp 12V 100W	Osram HLX 64637	A
HPL.634.015.150	halogen lamp 15V 150W EFR	Osram HLX 64634	A
HPL.631.024.250	halogen lamp 24V 250W ELC	Philips 13631	A
HPL.653.024.250	halogen lamp 24V 250W ELC	Osram HLX 64653	A
HPL.654.024.250	halogen lamp 24V 250W ELC	Osram HLX 93654, longlife	A
HPL.ELC.024.250	halogen lamp 24V 250W ELC	General Electric 37462	A

INKING RIBBONS

product code	description	width	type*
IRN.130.060.095	inking ribbon black	13 mm	F

KODAK

Need consumables for Kodak minilabs?
Check out our stock of the most popular items. Our product range is continually being updated, so please contact us should your product not appear here.



LEADERCARDS

product code	product code	size	colour
135 film	APS		
FLC.215.127.020	FLC.215.127.A20	215 x 127 mm	transparent
FLC.258.175.012	FLC.258.175.A12	258 x 175 mm	transparent
FLC.323.112.016	FLC.323.112.A16	323 x 112 mm	transparent

CARBON FILTERS

product code	length	outside Ø
FAC.127.635.000	127 mm	63.5 mm

CORD WOUND FILTERS

product code	length	outside Ø	inside Ø	filtration
FPP.530.127.025	127 mm	53 mm	32 mm	25 micron
FPP.530.127.050	127 mm	53 mm	32 mm	50 micron
FPP.635.165.025	165 mm	60 mm	32 mm	25 micron
FPP.635.165.050	165 mm	60 mm	32 mm	50 micron

SINTERED FILTERS

product code	length	outside Ø	inside Ø	filtration
SCF.075.035.D22	75 mm	35 mm	22 mm	60 micron
SCF.123.035.T30	123 mm	35 mm	30 mm	60 micron
SCF.140.035.D22	140 mm	35 mm	22 mm	60 micron
SCF.230.222.284	230 mm	28 mm	22 mm	60 micron

WRAPPED FILTERS

product code	length	outside Ø	inside Ø
SCF.075.035.022	75 mm	35 mm	22 mm
SCF.123.035.030	123 mm	35 mm	30 mm
SCF.125.046.T29	125 mm	46 mm	29 mm
SCF.140.035.022	140 mm	35 mm	22 mm

LAMPS

product code	description	brand	type*
HLS.903-168.	lamp socket HPL		4
HPL.631.024.250	halogen lamp 24V 250W ELC	Philips 13631	A
HPL.653.024.250	halogen lamp 24V 250W ELC	Osram HLX 64653	A
HPL.654.024.250	halogen lamp 24V 250W ELC	Osram HLX 93654, longlife	A
HPL.ELC.024.250	halogen lamp 24V 250W ELC	General Electric 37462	A
HPL.664.036.400	halogen lamp 36V 400W	Osram HLX 64664	B
HPL.663.036.400	halogen lamp 36V 400W EVD	Osram HLX 64663	B
HPL.787.036.400	halogen lamp 36V 400W EVD	Philips 7787	B
HPL.EVD.036.400	halogen lamp 36V 400W EVD	General Electric 41164	B
HPL.EVD.036.40U	halogen lamp 36V 400W EVD	Ushio 9966391	B
HPL.EZF.225.068	halogen lamp 225V 68W EZF/EZJ	General Electric 15832	A

INKING RIBBONS

product code	description	width	type*
IRN.130.100.051	inking ribbon black OCR - 2 reels	13 mm	G
IRN.130.100.488	inking ribbon black OCR - 2 reels	13 mm	D

KONICA

A popular selection of consumables for Konica minilabs. Our product range is continually being updated, so please contact us should your product not appear here.



FILM CASSETTES

product code	description
RFC.KON.120.00L	re-usable for 120 film

LEADERCARDS

product code	product code	APS	size	colour
135 film				
FLC.246.167.026	FLC.246.167.A26		246 x 167 mm	transparent
FLC.246.167.044	FLC.246.167.A44		246 x 167 mm	black
FLC.247.174.017	FLC.247.174.A17		247 x 174 mm	transparent
	FLC.247.174.A47		247 x 174 mm	auto-load, transparent
FLC.257.123.022	FLC.257.123.A22		257 x 123 mm	transparent
FLC.323.175.019	FLC.323.175.A19		323 x 175 mm	transparent

SINTERED FILTERS

product code	length	outside Ø	inside Ø	filtration
SCF.075.035.D22	75 mm	35 mm	22 mm	60 micron
SCF.123.035.T30	123 mm	35 mm	30 mm	60 micron
SCF.150.025.015	150 mm	25 mm	15 mm	60 micron
SCF.153.035.D22	153 mm	35 mm	22 mm	60 micron

WRAPPED FILTERS

product code	length	outside Ø	inside Ø
SCF.075.035.022	75 mm	35 mm	22 mm
SCF.123.035.030	123 mm	35 mm	30 mm
SCF.150.035.022	150 mm	35 mm	22 mm

LAMPS

product code	description	brand	type*
HPL.664.036.400	halogen lamp 36V 400W	Osram HLX 64664	B
HPL.663.036.400	halogen lamp 36V 400W EVD	Osram HLX 64663	B
HPL.787.036.400	halogen lamp 36V 400W EVD	Philips 7787	B
HPL.EVD.036.400	halogen lamp 36V 400W EVD	General Electric 41164	B
HPL.EVD.036.40U	halogen lamp 36V 400W EVD	Ushio 9966391	B
HPL.JCR.100.300	halogen lamp 100V 300W JCR	Sylvania 61063	A

INKING RIBBONS

product code	description	width	type*
IRN.100.100.457	inking ribbon black	10 mm	C
IRN.130.100.051	inking ribbon black OCR - 2 reels	13 mm	G

NORITSU

Choose from our wide range of consumables and spare parts for Noritsu minilabs. Nearly all items are on stock. Our product range is continually being updated, so please contact us should your product not appear here.



All **Leadercards** are manufactured from 100% top grade polyester. Standard thickness is 250 microns. Cards are diecut, using state-of-the-art rotation equipment.



Technotape has renewed and extended its range of **Air Filters**. Only the original materials, or materials with the same airflow value, are used.

FILM CASSETTES

product code	description
RFC.NOR.110.171	re-usable for 110 film
RFC.NOR.120.000	re-usable for 120 film
RFC.NOR.126.172	re-usable for 126 film
RFC.NOR.APS.000	re-usable for APS film

LEADERCARDS

product code	product code	size	colour
135 film	APS		
FLC.200.069.033	FLC.200.069.A33	200 x 69 mm	black
FLC.247.112.018	FLC.247.112.A18	247 x 112 mm	transparent
FLC.247.174.017	FLC.247.174.A17	247 x 174 mm	transparent
	FLC.247.174.A47	247 x 174 mm	auto-load, transparent
FLC.323.112.016	FLC.323.112.A16	323 x 112 mm	transparent
FLC.323.174.015	FLC.323.174.A15	323 x 174 mm	transparent

AIR FILTERS

product code	length	width	thickness	colour	OEM number
AFN.088.088.070	88 mm	88 mm	15 mm	white	A042283-01
AFN.090.065.320	90 mm	65 mm	5 mm	white	A047653-01
AFN.105.105.020	105 mm	105 mm	10 mm	black	A045654-01/A063412-01
AFN.105.105.090	105 mm	105 mm	5 mm	white	A128749-01
AFN.106.105.570	106 mm	105 mm	5 mm	white	A062587-01
AFN.106.108.006	106 mm	108 mm	6 mm	white	
AFN.110.100.100	110 mm	100 mm	5 mm	white	A207490-01
AFN.122.105.630	122 mm	105 mm	3 mm	white	B208412-01
AFN.122.122.030	122 mm	122 mm	10 mm	black	A229185-01
AFN.138.095.310	138 mm	95 mm	5 mm	black	A230544-01
AFN.140.112.340	140 mm	112 mm	5 mm	black	A230532-01
AFN.140.140.300	140 mm	140 mm	5 mm	black	A232434-01
AFN.145.067.060	145 mm	67 mm	15 mm	white	A514749-01
AFN.150.035.010	150 mm	35 mm	10 mm	black	A041792-01/A063413-01
AFN.150.130.280	150 mm	130 mm	15 mm	white	A229585-01
AFN.150.150.006	150 mm	150 mm	6 mm	white	
AFN.154.120.560	154 mm	120 mm	5 mm	white	A062471-01
AFN.160.135.050	160 mm	135 mm	15 mm	white	A035757-01
AFN.165.075.350	165 mm	75 mm	8 mm	white	A214723-01
AFN.200.088.640	200 mm	88 mm	10 mm	black	H998406-00
AFN.208.028.540	208 mm	28 mm	5 mm	white	A062604-01
AFN.235.072.590	235 mm	72 mm	6 mm	white	A514751-01
AFN.245.128.040	245 mm	128 mm	10 mm	black	A230776-01
AFN.357.124.550	357 mm	124 mm	5 mm	white	A062361-01

product code	description
AFN.AIR.KIT.001	Air Filter Noritsu kit 3001/3011, set containing 8 filters

CHEMICAL FLAT FILTERS

product code	length	width	thickness
FFD.106.045.032	106 mm	45 mm	3.2 mm

CORD WOUND FILTERS

product code	length	outside Ø	inside Ø	filtration
FPP.460.127.050	127 mm	46 mm	28 mm	50 micron
FPP.530.127.025	127 mm	53 mm	32 mm	25 micron
FPP.530.127.050	127 mm	53 mm	32 mm	50 micron
FPP.635.127.025	127 mm	60 mm	32 mm	25 micron
FPP.635.127.050	127 mm	60 mm	32 mm	50 micron

NORITSU



Sintered Filters all major sizes and types in stock. Only the highest grade of polyethylene is used.

Wrapped Polyester Filters, ultra thin layers of a polyester material wrapped onto plastic cores.

Standard filtration value 50 - 60 microns.

Excellent price/quality ratio.

SINTERED FILTERS

product code	length	outside Ø	inside Ø	filtration
SCF.112.027.T23	112 mm	27 mm	23 mm	60 micron
SCF.123.035.T30	123 mm	35 mm	30 mm	60 micron
SCF.132.265.203	132 mm	27 mm	20 mm	60 micron

WRAPPED FILTERS

product code	length	outside Ø	inside Ø
SCF.112.027.023	112 mm	27 mm	23 mm
SCF.123.035.030	123 mm	35 mm	30 mm
SCF.125.046.T29	125 mm	46 mm	29 mm
SCF.127.070.030	127 mm	70 mm	30 mm

LAMPS

product code	description	brand	type*
HLS.903-168.	lamp socket HPL		4
HLS.GX5.3	lamp socket HPL		1
HPL.225.015.150	halogen lamp 15V 150W	Noritsu	A
HPL.631.024.250	halogen lamp 24V 250W ELC	Philips 13631	A
HPL.653.024.250	halogen lamp 24V 250W ELC	Osram HLX 64653	A
HPL.654.024.250	halogen lamp 24V 250W ELC	Osram HLX 93654, longlife	A
HPL.ELC.024.250	halogen lamp 24V 250W ELC	General Electric 37462	A
HPL.223.030.370	halogen lamp 30.5V 370W	Noritsu	F
HPL.600.030.370	halogen lamp 30.5V 370W	Noritsu	F
HPL.664.036.400	halogen lamp 36V 400W	Osram HLX 64664	B
HPL.663.036.400	halogen lamp 36V 400W EVD	Osram HLX 64663	B
HPL.787.036.400	halogen lamp 36V 400W EVD	Philips 7787	B
HPL.EVD.036.400	halogen lamp 36V 400W EVD	General Electric 41164	B
HPL.EVD.036.40U	halogen lamp 36V 400W EVD	Ushio 9966391	B
HPL.JCP.100.650	halogen lamp 100V 650W JCP	Sylvania 9061018	E
HPL.JCP.100.65P	halogen lamp 100V 650W JCP	Philips JCP 100/650	E
PG 55502 SCAN LAMP	scan lamp 24V 250W	Noritsu	F

INKING RIBBONS

product code	description	width	type*
IRN.130.100.051	inking ribbon black OCR - 2 reels	13 mm	G
IRN.130.100.488	inking ribbon black OCR - 2 reels	13 mm	D
IRN.130.NOR.APS	inking ribbon black	13 mm	X
IRN.190.NOR.APS	inking ribbon black	19 mm	L

CLEANING LEADERS

product code	description	OEM number
TP.8010.0040.0	cleaning leader Noritsu 135, 5 pieces	H089003-00/H089004-00
TP.8010.0050.0	cleaning leader Noritsu 135, 5 pieces	H089013-00
TP.8010.0060.0	cleaning leader Noritsu APS, 5 pieces	H089014-00
TP.8010.0090.0	cleaning leader Noritsu 120, 5 pieces	H089023-00/H089030-00
TP.8010.0070.0	white leader Noritsu 135 QSS 1801/2511	A209054-01
TP.8010.0080.0	white leader Noritsu 240 QSS 1801/2511	A038214-01



Cleaning Leaders are used for removing all dust and dirt in the filmdeck, including the filmdrive rollers and the APS magnetic reading head.

Especially useful for today's high production machines where dust can be difficult to detect.

NORITSU



These **Squeegee Rollers** are made to original manufacturers' specifications and have been thoroughly tested. The shafts are made from the highest quality stainless steel.

SQUEEGEE ROLLERS

product code	description	OEM number
TP.0010.0040.0	squeegee roller Noritsu QSF 430/450/470	A131129-01/A131161-00
TP.0010.0070.0	squeegee roller Noritsu 1201	A136671-00/A207143-00
TP.0010.0080.0	squeegee roller Noritsu 1201	A207142-00/A513538-01
TP.0010.0210.0	squeegee roller Noritsu 1801	A209721-00
TP.0010.0250.0	squeegee roller Noritsu QSF 430	A513182-01
TP.0010.0260.0	squeegee roller Noritsu QSS	A029801-00
TP.0010.0640.0	squeegee roller Noritsu QSF V30/V50/V100	A035025-00
TP.0010.0650.0	squeegee roller Noritsu QSF V30/V50/V100	A035026-00

RUBBER ROLLERS

product code	description	OEM number
TP.0010.0030.0	rubber roller Noritsu QSS 1201/2	A216591-00
TP.0010.0050.0	rubber roller Noritsu QSS 1801	A205409-00
TP.0010.0100.0	rubber roller Noritsu QSS 1201/2	A216593-00/A513047-00
TP.0010.0110.0	rubber roller Noritsu QSS 1201/2	A216594-00/A513048-00
TP.0010.0120.0	rubber roller Noritsu QSS 1201/2	A216592-00/A513046-00
TP.0010.0350.0	rubber roller Noritsu QSS 2211	A031760-00
TP.0010.0370.0	rubber roller Noritsu QSS 2211	A031762-00/A031762-01
TP.0010.0380.0	rubber roller Noritsu QSS	A231827-00
TP.0010.0390.0	rubber roller Noritsu QSS 2301/11	A032079-00
TP.0010.0400.0	rubber roller Noritsu QSS 2301/11	A032080-00

PAPER MAGAZINE

product code	description	OEM number
PAP.CAS.NOR.001	paper magazine Noritsu QSS 2511/2611/3001/3011	Z809362-01

PUMPS AND ACCESSORIES

product code	description	OEM number
TP.PMP.BELLOW.1	Iwaki bellow 1/2 B KB-1X	I091007-00
TP.PMP.IN-OUTL	Iwaki in-outlet PP (9mm)	I091002-00

ELECTRICAL COMPONENTS

product code	description	OEM number
TP.I029101-00	heater 240V - 400W Noritsu QSS 2901	I029101-00
TP.I029103-00	heater 240V - 800W Noritsu QSS 2901	I029103-00




Extra paper magazines are always welcome. Technotape has developed a **Paper Magazine** for the popular Noritsu 2511/2611 and 3001/3011 minilabs. Because of the spring loaded paper mounting core and exit guides, it is also suited for digital machines. It accepts paper widths from 3/4" up to 12" and is completely adjustable by the operator.

INKING RIBBON TYPES


This page shows types of Inking Ribbons and Lamps as listed on pages 12 to 24. Select your type and find the correct product code on your minilab page.

With so many types of Inking Ribbons or cassettes in stock, we have the right one to suit all major printers on the market today. Most cassettes utilise special inks for perfect Optical Character Recognition. Please contact our Customer Services if your particular ribbon or cassette is not listed.



LAMP TYPES

A huge range of special Lamps for printing and scanning made by the world's top manufacturers is kept on stock. Prices are kept low by resourceful purchasing in large quantities. Please contact our Customer Services if your lamp is not listed.



type A

type B

type C

type D

type E



type F



Lamp Sockets for the most popular printer lamps are also available.

CHEMISTRY HANDLING TOOLS



Graduated Measuring Cylinders

made of a strong transparent polystyrene material. Sizes from 50 ml up to 1000 ml.

product code

MEA.CYL.OPS.050
 MEA.CYL.OPS.100
 MEA.CYL.OPS.300
 MEA.CYL.OPS.650
 MEA.CYL.OPS.A00
 MEA.JUG.OPS.500

description

measuring cylinder 50 ml
 measuring cylinder 100 ml
 measuring cylinder 300 ml
 measuring cylinder 650 ml
 measuring cylinder 1000 ml
 measuring jug 500 ml



Handy polyethylene Pouring Jugs

with a removable, flexible spout. Various sizes.

product code

POU.JUG.HPE.1000
 POU.JUG.HPE.2000
 POU.JUG.HPE.3000
 POU.JUG.HPE.5000
 POU.JUG.SPT.5000

description

pouring jug with flexispout 1000 ml
 pouring jug with flexispout 2000 ml
 pouring jug with flexispout 3000 ml
 pouring jug with flexispout 5000 ml
 replacement spout for 5000 ml



Wash Bottles (Squeeze Bottles) with angled spout.

product code

WAS.BTL.OPE.500
 WAS.BTL.OPE.A00

description

wash bottle with spout 500 ml
 wash bottle with spout 1000 ml



Chemical resistant Plastic Funnels.

Indispensable in every darkroom. Made of highly durable polypropylene. Two popular sizes.

product code

FNL.104.151.OPP
 FNL.159.212.OPP

description

funnel Ø 104 mm length 151 mm
 funnel Ø 159 mm length 212 mm



19 mm polypropylene Floating Balls.

Designed to float on the surface of your replenishment chemistry to help prevent oxidation and evaporation. Sold in bags of 50.

product code

FTB.OPP.019.050

description

floating balls, pack of 50

CLEANING LIQUIDS



Chem-Kwik is an excellent all-purpose cleaner. Suitable for all types of photo chemical stains on PVC, polyethylene, polypropylene, fibreglass and stainless steel. Aluminium surfaces should be avoided. Product is non-flammable, non-corrosive and biodegradable. Available in 0.96 litre plastic bottles with spray nozzle. Refills also available in economic 3.79 litre size.

product code	description
CLQ.CHE.KWI.095	Chem-Kwik spray cleaner 960 ml
CLQ.CHE.KWI.379	Chem-Kwik refill 3.79 l



Multifunctional **Anti-Static Lens Cleaner** that safely cleans all types of camera lenses and other optical surfaces without leaving haze. Contains no ammonia, detergent or alcohol.

product code	description
LEN.CLE.AST.240	lens cleaner anti-static 240 ml



Pec 12® Film Cleaner for removing all kinds of stains from films and prints. Contains no water and will not cause emulsion swelling. Dries instantly and leaves no residue. Removes permanent marker ink, fingerprints, grease, tape, mildew, soot and other non-water based stains. Apply with **Pec Pads**. Pec Pads are non-abrasive, ultra soft, lint free photo wipes.

product code	description
FLM.CLR.PEC.012	Pec-12 film cleaner spray 120 ml
PDS.PEC.100.100	Pec Pads 100 pieces 10 x 10 cm



Bertef is a multifunctional **Engineering Lubricant** that will float away dirt and corrosion. It is particularly suited for use in environments where dirt, dust, grit and other solids contaminate moving parts like chains, slides, bearings etc. Fortified with P.T.F.E. (Teflon).

product code	description
MFL.TEF.BTL.100	Bertef lubricant 100 ml



pHotoDerm™ Hand Soap moisturises and penetrates the skin to neutralise odours and remove chemical residue. Specially formulated for use in the photofinishing industry. Helps to prevent dermatitis and other allergic skin reactions.

product code	description
HND.SOP.PHD.325	PhotoDerm hand soap 325 ml incl. spout nipple
HND.SOP.PHD.PMP	pump

TEST NEGATIVES

Atento Test Negatives portray people with three different skin tones so that results can easily be assessed with the naked eye. Complete sets for 135 format are available containing a selection of 8, 17 or 25 different film types in an attractive ring binder. Standard exposure sequence is Mask (unexposed), Normal, Under (-2 stops) and Over (+3 stops). Sets containing negatives with an extra Super Over exposure (+5 stops) are also available. Each set includes an extra negative, which can be used as a Daily Set-up negative, a high resolution Focus Negative and a Reference Print. The APS set is in an attractive box containing a selection of 12 latest APS films. The exposure sequences have been repeated to fill a 15 exposure cassette.

Custom made sets, replacement negative strips, replacement Focus Negatives and Reference Prints are all available separately. Separate **Test Negative Strips** are available for all existing Kodak, Fuji, Agfa, 3M, Konica and other film types. We can also supply many special test negatives at your request. Please contact Customer Services for more information. Minimum orders may apply.



product code	exposures	film	strips
TTN.135.SOE.008	4 super over	135	8
TTN.135.SOE.017	4 super over	135	17
TTN.135.SOE.025	4 super over	135	25
TTN.135.STD.008	3 standard	135	8
TTN.135.STD.017	3 standard	135	17
TTN.135.STD.025	3 standard	135	25
TTN.APS.SOE.012	4 super over	APS	12
TTN.APS.STD.012	3 standard	APS	12
TTN.FOC.NEG.135	Atento test negative focusing		
TTN.REF.FIL.000	Atento test negative reference print		

PROCESSING AIDS



Round **Loupe** with large 24 mm diameter lens providing 8x magnification. Also available in display boxes containing 10 loupes.

product code	description
LUP.RND.008.001	round loupe 8x magnification
LUP.RND.008.010	10 loupes in display box



An economical but efficient **Silver Test Kit** for estimating silver content in Parts Per Million (ppm) in photographic chemistries like fixers. May also be used to test for chemistry pollution in the final rinse baths. Starts to indicate from 5 ppm onwards. The kit includes 50 test strips, starter solution, a small beaker, a case and instructions.

product code	description
SVR.TST.KIT.050	silver test kit 50 strips



Easy to use **Test Strips** for indicating freshness/activity of photographic fixers and pureness of rinse water. Indicates pH values from 4.0 to 8.0 and silver content (Ag) from 0.5 to 10 grams per litre.

product code	description
TSS.AG.FIX.PAP	test paper AG fix


PROCESSING AIDS



Highly accurate digital Checktemp **Thermometers**. Both models are self-calibrating and feature fast response times. Probes are made of stainless steel, perfect for photographic applications. Batteries included.


product code	description
CHK.TMP.LC3.150	checktemp LC-50/150° C
CHK.TMP.1C3.150	checktemp 1C-50/150° C with 1 m cable

PROFESSIONAL FILM SLEEVING



Professional sleeving for cut lengths of processed film. **Single Folded Sleeving** has one edge folded over the other so that films are held in place without using tape. Material is crystal clear polypropylene.

product code	description
SFS.038.100.300	sleeve 38 mm x 100 m - 135 film
SFS.038.250.300	sleeve 38 mm x 250 m - 135 film
SFS.066.100.300	sleeve 66 mm x 100 m - 120 film
SFS.066.250.300	sleeve 66 mm x 250 m - 120 film



Sleeving Material Ready For Use is professional tube style sleeving on a roll. Front side is super clear, rear side matt.


product code	description
SMR.038.190.400	tube sleeve 38 mm x 100 m - 135 film
SMR.066.190.400	tube sleeve 66 mm x 100 m - 120 film
SMR.072.100.400	tube sleeve 72 mm x 100 m - 70 mm film

ARCHIVING



Large format slides or negatives are stored in individual **Film Pockets** or wallets made from polypropylene (clear) and polyethylene (matt). Various finishes available. The 520 type is open at both ends.

product code	description	finish
FPA.040.050.400	film pocket 4" x 5"	matt/clear
FPA.040.050.500	film pocket 4" x 5"	clear
FPA.040.050.520	film pocket 4" x 5"	matt/clear
FPA.050.070.400	film pocket 5" x 7"	matt/clear
FPA.080.100.400	film pocket 8" x 10"	matt/clear



Pre-punched **File Sheets** made of super clear acetate or economic pergamine to archive negatives safely. Available in 7 strips of 6 frames 135 or 4 strips of 3 frames 120/220 film.

product code	size	finish
FCS.120.040.030	4 x 3 frames - 120 film	super clear
FCS.135.070.060	7 x 6 frames - 135 film	super clear
FFS.135.070.060	7 x 6 frames - 135 film	pergamine

PROTECTIVE PRODUCTS



Safety Spectacles and Safety Goggles for eye protection during chemical mixing. Goggles have soft sides for maximum comfort, special vents for good ventilation and fog-free use. Certified dual cartridge **Respirators** made by 3M. Filter cartridges sold separately in packs of two to protect against harmful gasses such as formaldehyde and ammonia.

product code	description
SAF.GOG.CHE.000	safety goggles
SAF.GOG.UVE.000	safety spectacles uvex
SAF.RSP.RUB.MED	3M respirator dual cartridge M
SAF.RSP.RUB.LAR	3M respirator dual cartridge L
SAF.RSP.RCA.AMM	ammonia cartridge pair
SAF.RSP.RCA.FMH	formaldehyde cartridge pair



Convenient and economical wall-mounted **Eye Flush Station**. Meant for First Aid during the first few seconds following an eye incident. Including sterile liquid, a mirror and instructions. Refills available.

product code	description
EYE.FSH.STA.047	eye flush station 2 x 500 ml
EYE.FSH.RFL.047	eye flush refill 500 ml



A **First Aid Kit** containing bandages, pads, wipes, inhalants, tape strips, scissors, tweezers, ointment, instructions, etc. Enough items included for up to 25 people.

product code	description
FST.AID.KIT.025	first aid kit



Chemical resistant bi-colour Gloves with embossed grip for safe chemical handling. Comfortable fit, designed for prolonged use.

product code	description
SAF.GLV.CHR.LAR	safety gloves L
SAF.GLV.CHR.ELA	safety gloves XL



Extra long **Apron** for maximum protection. May be shortened to size. Quick one-hand fastening, universal fit. Made from heavy duty PVC. Size: 90 x 130 cm.

product code	description
APN.CHR.090.130	apron chemical resistant

ANTI-STATIC FILM CLEANERS



Labokey 5700 top-of-the-line film cleaner, well known the world over. Lightweight and compact featuring superior cleaning properties. Including 12V AC adapter. Brushes can be easily replaced when worn. Spare brushes in stock.

product code	description
AFS.122.059.062	Labokey film cleaner L-5700 incl. adapter
AFS.L57.0D0.1	spare dust brush set L-5700
SP-L.570.S02	spare power switch unit L-5700



Model **FC 120** is a good all-round **Anti-Static Film Cleaner** from FC Manufacturing featuring 4 brushes in total. Including 12V AC adapter. Replacement brushes in stock.

product code	description
AFS.120.060.082	film cleaner FC-120 incl. adapter
AFS.120.060.003	spare brush set



Technotape Film Cleaner is an economic alternative incorporating 4 brushes and a grounding lead.

product code	description
AFS.085.045.055	anti-static film cleaner

FILM HANDLING SYSTEMS



Technotape offers two portable **Film Rails**. A round model featuring adjustable height and a fixed 3-arm model suitable for the FIFO system. The fixed arm model is sold with a pack of 25 film clips. Both types are supplied with wheels.

product code	description
FHS.103.003.050	3 arm film handling system, FIFO
FHS.110.185.TOT	round film rail system



Pack of 25 extra **'T' Film Clips** for the 103 FIFO rail or 25 hooked clips necessary for the 110 round rail.

product code	description
TOP CLIP	spare clip 'T' for FHS.103.003.050
TOP.CLI.FHS.002	top clip hooked for FHS.110.185.TOT

CHANGING BAGS AND TENT



Small and easy to use **Changing Bags** for reloading camera film cassettes, changing films and emergency situations on site.

product code	description	size
CHA.BAG.400.430	changing bag medium	41 x 43 cm / 16 x 17"
CHA.BAG.685.760	changing bag large	69 x 76 cm / 27 x 30"



A portable **Changing Tent** which makes it easy to load and change your films and paper on location, offering you the comfort of a dark room.

product code	description	size
CHA.TNT.AGA.000	changing tent AGA	88 x 56 x 61 cm / 34 x 22 x 24"

EQUIPMENT AND TOOLS



* economy version

Hand Photo Cutters, a manual tool for trimming passport photographs to exact size. The 32 x 25 mm and 35 x 45 mm size are also available in a more economic model.

product code	description
HPC.250.320.0RC	25 mm x 32 mm round corners
HPC.300.350.0RC	35 mm x 30 mm round corners
HPC.300.400.0RC	40 mm x 30 mm round corners
HPC.320.250.ECO*	32 mm x 25 mm round corners, ID card
HPC.350.450.0RC	45 mm x 35 mm round corners, ECC passports
HPC.350.450.ECO*	45 mm x 35 mm round corners, ECC passports

* economy version




Handy **Tape Peeler** for removing tape and any adhesive residue from leadcards. No more broken nails!

product code	description
PLR.100.018.018	tape peeler



Manual Cartridge Cracker, easy to use tool for opening 135 film cartridges.

product code	description
MCC.395.000.001	manual cartridge cracker



Pakopal Phototank Retriever made of high grade stainless steel, provides a handy tool for use in photolabs. With a total length of 1.37 metres it will enable you to easily reach those hard-to-get-at places. Spare fingers can be ordered separately.

product code	description
FTR.134.L30.000	pakopal phototank retriever 1.37 m
FRR.FIN.L54.000	spare fingers

EQUIPMENT AND TOOLS



Highly efficient **Bellow Brush** completely safe for the most sensitive of surfaces.

product code	description
BRS.BLW.LAR.008	large blower brush anti-dust



Film Squeegee Tong with triple 12 cm soft rubber blades. Handy tool for gently removing excess water from the film's surface before drying.

product code	description
FLM.SQU.GEE.TNG	film squeegee tong

High grade plastic **Print Tongs** (20 cm). Can be squeezed into locking position. Packed per two colours (developer and fixer).

product code	description
PRT.TNG.200.002	2 print tongs



Manual Transfer Dispenser with extra nose wheel for better accuracy. Use with double sided 12 mm tape. A fast way of mounting your photographs.

product code	description
TDM.NOS.WHL.012	manual transfer dispenser
TDM.TRF.TAP.012	transfer tape 12 mm



In order to view your negatives and slides, two counter-top sizes of **Light Boxes** are available. Works either on an AC adapter (sold separately) or on batteries (not included).

product code	description
LBG.150.245.09V	light box grande 6" x 9", 9V
LBP.102.127.06V	light box petite 4" x 5", 6V
LBG.F8T.5D-.008	lamp for light box grande
LBP.102.127.LMP	lamp for light box petite
SP-ADT.AC.UNI.6	universal AC adapter



Affordable high quality **Rotary Trimmers** made by Dahle with 2 scale bars and standard formats pre-printed on table.

product code	description
RTR.320.165.507	Dahle rotary trimmer cutting length 32 cm
RTR.460.165.508	Dahle rotary trimmer cutting length 46 cm

CUSTOMER STATEMENTS



Customer Statements ready printed or blank self-adhesive labels for your pricing unit. Fuji are 50.8 x 60 mm. Noritsu are 63.5 x 60 mm. Labels are mounted on pin-feed backing paper in lengths of 2500 labels.

product code	description	packaging
FSM.762.508.000	pricing label Fuji blank	2500 per pack
FSM.762.508.008	pricing label Fuji printed	2500 per pack
NSM.762.635.000	pricing label Noritsu blank	2500 per pack
NSM.762.635.004	pricing label Noritsu printed	2500 per pack

RETOUCH



Red Eye Remover is an easy to use pen for removing those ugly 'red eyes' in photographs.

product code	description
RED.EYE.RMV.000	aqua dot red eye remover pen



Scratch Concealer De Blem minimises scratches on negatives before printing by filling in damaged areas. May be easily removed after printing if desired.

product code	description
SDE.BLE.M00.001	De Blem scratch concealer 30 ml



Touch-Up Pencil with fast drying matt black ink for covering small scratches or damages on cameras and other photographic instruments or equipment.

product code	description
TUP.MAT.BLK.000	touch-up paint black matt 30 ml

SPECIAL TAPES



SPU for use on Agfa SPU Film Bonding Stations, which provide a temporary handling leader on short filmstrips.

product code	description
SPU.001.AGF.110	tape for Agfa SPU-1 110 mm
SPU.002.AGF.118	tape for Agfa SPU-2 118 mm



© Technotape Group B.V.

This catalogue is copyrighted and all rights are reserved. It may not, in whole or in parts, be copied, photocopied, reprinted, reduced to any (electronic) medium or machine readable form or reproduced in any manner, without prior consent in writing from Technotape. The information in this catalogue is intellectual property of Technotape, and may only be used for the purpose of understanding Technotape's delivery programme and/or selecting supplies or equipment for ordering. Legal proceedings will, in all cases, be instituted against offenders. Translation into local language by authorised Technotape distributors is exempt from this copyright, provided that the complete Copyright Statement is included in the translation.



International

Technotape International B.V.
P.O. Box 458
3740 AL Baarn
The Netherlands
Tel: +31 (0)35 541 80 94
Fax: +31 (0)35 541 18 17
E-mail: office@nl.technotape.com

France

Technotape France SARL
198, avenue de Verdun
92130 Issy-Les-Moulineaux
France
Tel: +33 (0)1 46 42 90 76
Fax: +33 (0)1 46 42 58 44
E-mail: office@fr.technotape.com

Your local distributor:

Scandinavia

Technotape Nordic AB
Box 230
SE-746 25 Bålsta
Sweden
Tel: +46 (0)171 511 25
Fax: +46 (0)171 513 20
E-mail: office@se.technotape.com

Americas

Technotape USA Inc.
959 Columbia Street
Crete, IL 60417
USA
Tel: +1 (708) 709-9000
Fax: +1 (708) 709-9040
E-mail: office@usa.technotape.com

www.technotape.com